

SAFETY DATA SHEET

ACCORDING TO WORK HEALTH AND SAFETY REGULATIONS 2011 (WHS) & SAFE WORK AUSTRALIA MODEL CODE OF PRACTICE: PREPARATION OF SAFETY DATA SHEETS FOR HAZARDOUS CHEMICALS (2020)

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name : Bioquell HPV-AQ

Chemical Name : Hydrogen Peroxide Solution 35%

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified use(s) : To be used in conjunction only with Bioquell Hydrogen Peroxide

Vapour Generating Equipment. Product is for professional use only. Chemical of security concern

1.3 Supplier Details

1.3.1 Details of the supplier of the Safety Data Sheet

Company Identification : Bioquell UK Limited Address : 52 Royce Close

West Portway Andover Hampshire, UK SP10 3TS

Telephone : +44 (0) 1264 835 835 Fax : +44 (0) 1264 835 836

E-mail (details of responsible persons http://www.bioquell.com/en-uk/contact/distributors/

within individual countries)

1.3.2 Details of the distributor of the product

Company Identification : Biodecon Solutions Limited

Address : 1198 Toorak Road

Camberwell VIC 3124 Australia

Telephone : +61 1 800 754 617 Fax : +61 1 800 754 619

E-mail : <u>Info@biodeconsolutions.com.au</u>

1.4 Emergency telephone number

Emergency telephone number : Australia: +61 1 800 686 951

New Zealand: +64 800 451719 Use access code: 333809

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.1.1 Work Health and Safety Regulations : Acute Tox. 4: Oral, H302. Inhalation, H332

Skin Irrit. 2, H315

Serious Eye Dam. 1, H318 STOT SE 3. Inhalation, H335

2.2 Label elements

2011

2.2.1 Label elements : According to GHS & Work Health and Safety Regulations 2011

Name(s) on Label : Bioquell HPV-AQ Hazardous components : Hydrogen peroxide (35%)

Signal Word : DANGER

TD075-SP-015 Page: 1/10 Date: 2020-11-20 Revision 3.0



Hazard Pictogram :



Corrosion - Exclamation mark

Hazard statement(s) : H302: Harmful if swallowed

H315: Causes skin irritation H332: Harmful if inhaled

H318: Causes serious eye damage **H335**: May cause respiratory irritation

Precautionary statement(s)

<u>Prevention</u>: **P261**: Avoid breathing gas/mist/vapours/spray.

P270: Do not eat, drink or smoke when using this product **P280**: Wear protective gloves/eye protection/face protection.

Response : P310: Immediately call a POISON CENTRE or doctor/physician

P301 + P312 + P330: IF SWALLOWED: call a POISON CENTRE or

doctor/physician if you feel unwell. Rinse mouth

P302 + P352: IF ON SKIN: Wash with plenty of soap and water. P304 + P340: IF INHALED: Remove person to fresh air and keep at

rest in a position comfortable for breathing

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

<u>Disposal</u> : **P501**: Dispose of contents / container in accordance with applicable

local regulations

2.3 Other hazards : None

2.4 Additional Information : None

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

3.1.1 Concentration

Substance Name: Concentration:

Hydrogen peroxide solution Ca. 35%

CAS-No.: 7722-84-1 / EC-No.:231-765-0 / Index-No.: 008-003-00-9

Classification according to GHS & Work Health and Safety Regulations 2011

Hazardous	Hazard Class	Hazard	Route of	H Phrases	Hazard pictogram(s) and Hazard	
ingredient(s)		Category	exposure		statement(s)	
Hydrogen	Acute toxicity	Category 4	Inhalation	H332	Acute Tox. 4 (Inhalation), H332	
peroxide	Acute toxicity	Category 4	Oral	H302	Acute Tox. 4 (Oral), H302	
solution 35%	Skin irritant	Category 2		H315	Skin Irrit. 2, H315	
	Serious eye	Category 1		H318	Eye Dam. 1, H318	
	damage				STOT SE3, H335	
	Specific target	Category 3	Inhalation	H335		
	organ toxicity -					
	single exposure					

3.2 Additional Information : For full text of H/P phrases see section 2.

TD075-SP-015 Page: 2/10 Date: 2020-11-20 Revision 3.0



SECTION 4. FIRST AID MEASURES



First aiders should refer to section 8 for appropriate PPE

4.1 Description of first aid measures

If inhaled : Move the exposed person to fresh air immediately. If person is not

breathing, contact emergency medical services, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison centre

or doctor for further treatment advice.

<u>In case of skin contact</u>: Wash with plenty of water and soap.

Remove and wash contaminated clothing before re-use. If symptoms persist seek immediate medical attention.

<u>In case of eye contact</u> : Seek immediate medical attention.

Eyes should be washed immediately with plenty of water, also under the eyelids for 15-20 minutes.Remove contact lenses, if present, after

the first 5 minutes, then continue rinsing.

<u>If swallowed</u> : Seek immediate medical attention.

Rinse mouth and, if conscious, give 2 glasses of water. Never give

anything by mouth to an unconscious person.

DO NOT INDUCE VOMITING.

Oxygen or artificial respiration if needed.

4.2 Most important symptoms and effects, both acute and delayed

<u>Inhalation</u>: Inhalation of vapours is irritating to the respiratory system, may cause

throat pain and cough

Risk of: Nose bleeding, chronic bronchitis.

Skin Contact : Irritation

Risk of: Burn, erythema, blisters or even necrosis.

<u>Eye Contact</u> : Severe eye irritation

Risk of serious damage to eyes

Symptoms: Redness, Lachrymation, swelling of tissue.

<u>Ingestion</u> : Severe irritation

Symptoms: Nausea, Abdominal pain, Vomiting, Diarrohea, Risk of

chemical pneumonitis from product inhalation

4.3 Indication of immediate medical

attention and special treatment

needed

Consult with an ophthalmologist immediately in all cases.

If accidently swallowed obtain immediate medical attention. When symptoms persist or in all cases of doubt, seek medical attention. Because of the likelihood of corrosive effects on the gastrointestinal tract after ingestion, attempts at evacuating the stomach via emesis induction or gastric lavage should be avoided.

SECTION 5. FIRE-FIGHTING MEASURES

5.1 Extinguishing Media

Suitable Extinguishing Media : Water, do not use any other substance

Unsuitable Extinguishing Media : As above

5.2 Special hazards arising from the

substance or mixture

: Not combustible. Decomposes under fire conditions to release oxygen

that intensifies the fire. Risk of explosion in closed, unventilated containers due to increased pressure from decomposition gases.

Contact with combustible material may cause fire

TD075-SP-015 Page: 3/10 Date: 2020-11-20 Revision 3.0



5.3 Advice for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-

contained breathing apparatus (SCBA).

Wear chemical resistant oversuit and boots (rubber or PVC)

Cool containers/tanks with water spray

If safe to do so, move product away from fire to secure area Prevent fire extinguishing water from contaminating surface water or

the ground water system.

Hazchem Code : 2W

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel : Avoid contact with skin, eyes and clothing.

Prevent further leakage or spillage if safe to do so. Isolate and

signpost spill area. Eliminate all sources of ignition.

Advice for emergency responders : Wear suitable protective equipment. Refer to section 5 for fire-fighting;

section 4 for first-aid advice; and section 8 for minimum requirements

for personal protective equipment. Evacuate personnel to safe areas

Keep people away from and up wind of spill/leak

6.2 Environmental precautions : Do not allow to enter drains, sewers or watercourses.

Should not be released into the environment

6.3 Methods and material for : Dam up

containment and cleaning up

Do not mix waste streams during collection

Soak up with inert absorbant material Keep in suitable, closed containers for disposal Never return spills in original containers for re-use

6.4 Reference to other sections : Section 1 for emergency contact. Section 8 for information on

appropriate personal protective equipment.

6.5 Additional Information : None

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling : Avoid ingestion, inhalation and contact with skin and eyes

Use only with adequate ventilation.

Keep away from heat and sources of ignition.

Keep container tightly closed.

Wear protective gloves/clothing and eye/face protection.

Keep away from incompatible products Use only clean and dry utensils

7.2 Conditions for safe storage, including any incompatibilities

Storage Temperature : Store between 4°C to 25°C

Storage Conditions : Protect from light.

Keep only in original container

Keep away from combustible materials and sources of ignition and

heat.

Store in a receptacle equipped with a vent

Keep container closed

Regularly check the conditions and temperature of the containers.

Incompatible materials : Strong acids, strong alkalis, strong oxidising agents, strong reducing

agents, organic material, acetone and metals.

TD075-SP-015 Page: 4/10 Date: 2020-11-20 Revision 3.0



Suitable material : Aluminium 99.5%

Stainless steel passivated 316 Approved grades of HDPE

Polypropylene

7.3 Specific end use(s) : Apart from the use mentioned in Section 1.2 no other specific uses are

stipulated. For further information please contact supplier.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Exposure Limit Values

Substance	Standard	Type	Exposure Limit Value	Notes
	AU.HCIS	TWA	1 ppm	
	AU.HCIS	TWA	1.4 mg/m ³	
Llydrogon	UK.EH40 (2011) – Workplace Exposure Limits [WEL]	TWA	1 ppm	LTEL (8hr)
Hydrogen Peroxide CAS: 7722-84-1		TWA	1.4 mg/m ³	LTEL (8hr)
		STEL	2 ppm	
		STEL	2.8 mg/m ³	
	US.ACGIH (2016) – Threshold Limit Values [TLV]	TWA	1 ppm	

8.1.2 Other information on limit values

Substance	Limit	Conditions	Value	Notes
Hydrogen	Predicted No Effect Concentration [PNEC]	Fresh water	0.13 mg/l	
		Marine water	0.013 mg/l	
		Sewage treatment plants	4.7 mg/l	
Peroxide	Derived No Effect	Workers, inhalation, acute exposure	3 mg/m ³	Local effects
CAS: 7722-84-1	Level/Derived minimal effect level [DNEL/DMEL]	Workers, inhalation, chronic exposure	1.4 mg/m ³	Local effects
		Consumers, inhalation, acute exposure	1.93 mg/m ³	Local effects
		Consumers, inhalation, chronic exposure	0.21 mg/m ³	Local effects

8.2 Exposure controls

8.2.1 Appropriate engineering controls : Ensure adequate ventilation

Apply technical measures to comply with the occupational exposure

limits

8.2.2 Personal protection equipment

Eye/face protection



Wear chemical safety glasses with side shields, or splash-proof

goggles

Skin protection (Hand protection/ Other)



Impervious gloves

Suitable material: PVC, butyl-rubber, nitrile rubber

Any specific glove information provided is based on published literature and glove-manufacturer data. Contact the glove manufacturer for glove selection and breakthrough times for your use conditions.

Inspect and replace worn or damaged gloves. Chemical resistant gloves are recommended.

If contact with forearms is likely, wear gauntlet–style gloves. Nitrile, CEN standards EN 420 and EN 374 provide general requirements and

list of glove types.



Respiratory protection



If engineering controls do not maintain airborne contaminant concentrations at a level which is adequate to protect worker health, an approved respirator may be appropriate. Respirator selection, use, and maintenance must be in accordance with regulatory requirements. Types of respirator to be considered for this mixture include: Half-face filter respirator; Type A filter material CEN standards EN136, EN140 and EN 405 provide respirator masks and EN 149 and EN 143 provide filter recommendations.

Hygiene Measures : Eye wash bottles or eye wash stations in compliance with applicable

standards

Take off contaminated clothing and shoes immediately. Wash

contaminated clothing before re-use.

When using do not eat, drink or smoke. Wash hands before breaks and

at the end of workday.

Handle in accordance with good industrial hygiene and safety practice.

Thermal hazards : None Known

8.2.3 Environmental Exposure Controls : Dispose of rinse water in accordance with local and national regulations

See sections 6,7,12,13

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance Liquid Colour Colourless Odour Odourless Molecular weight 34 g/mol pH (Value) 2.02 (H₂O₂ 50%) Melting Point (°C) / Freezing Point (°C) -33°C (H₂O₂ 35%) Boiling point/boiling range (°C) 108°C (H₂O₂ 35%) Flash Point (°C) Not applicable Evaporation rate No data available

Explosive limit ranges. : No data available Vapour Pressure (mm Hg) : 1 mbar (H₂O₂ 50%) at 30°C

Vapour Pressure (mm Hg) : 1 Vapour Density (Air=1) : 1

Flammability (solid, gas)

Density (g/ml) : 1.1 - 1.2

Solubility (Water) : Miscible with water Solubility (Other) : No data available

Partition Coefficient (n-Octanol/water) : Log Pow: -1.57, Method: calculated value

Auto Ignition Temperature (°C) : Not flammable

Decomposition Temperature (°C) : >60°C, Self-accelerating decomposition temperature (SADT)

Not applicable

<60°C, Slow composition

Viscosity (mPa.s) : 1.17 mPa.s (H₂O₂ 50%), at 20°C

Explosive properties : Not explosive Oxidising properties : Non-oxidizing

9.2 Other information : Surface tension – 75.6 mN/m (H₂O₂ 50%) at 20°C

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity : Stable under normal conditions of use.

Decomposes on heating. Potential for exothermic hazard.

10.2 Chemical stability : Stable under recommended storage conditions.

Sensitive to heat and light.

TD075-SP-015 Page: 6/10 Date: 2020-11-20 Revision 3.0



10.3 Possibility of hazardous reactions : Contact with combustible material may cause fire.

Contact with flammables may cause fire or explosions.

Risk of explosion if heated under confinement.

Fire or intense heat may cause violent rupture of packages.

10.4 Conditions to avoid : Protect from freezing. Contamination.

To avoid thermal decomposition, do not overheat.

10.5 Incompatible materials : Acids, bases, metals, Heavy metal salts, powdered metal salts,

reducing agents, organic materials, flammable materials.

10.6 Hazardous Decomposition Product(s) : Oxygen

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

11.1.1 Mixtures

Acute toxicity: LD50, rat, 1,270 mg/kg (H₂O₂ 35%)

Acute inhalation toxicity: LC50 4h, rat, >0.17 mg/l, vapour (H₂O₂ 50%)

Acute dermal toxicity: LD50, rabbit, >2,000 mg/kg (H₂O₂ 35%)

Skin corrosion/Irritation : Rabbit: skin irritation (H₂O₂ 35%)

Irritating to skin. Effects may include: discolouration, Erythema,

Odema.

Serious eye damage/eye irritation : Rabbit: Severe eye irritation (H₂O₂ 10%)

Corrosivity : Corrosive to eyes. May cause irreversible eye damage.

Sensitisation : Guinea pig, did not cause sensitization on laboratory animals

Repeated dose toxicity : Oral, 90-day, mouse, Gastrointestinal tract: 300 ppm LOAEL

Oral, 90-day, mouse: 100 ppm NOAEL

Inhalation, 28-day rat, respiratory system: 10ppm, LOAEL, vapour

Inhalation, 28-day, rat: 2ppm, NOAEL, vapour

Carcinogenicity : Oral, Prolonged exposure, mouse, Target organs: Duodenum,

carcinogenic effects

Dermal, prolonged exposure, mouse, animal testing did not show any

carcinogenic effects

Mutagenicity : In vitro tests have shown mutagenic effects

In vivo tests did not show mutagenic effects

Toxicity for reproduction : Substance is totally biotransformed (metabolized)

Study scientifically unjustified

Specific target organ toxicity - single

exposure

Inhalation, mice, 665 mg/m³. Remarks: RD 50, Irritating to respiratory

system, H₂O₂ 50%

11.2 Other information : None

TD075-SP-015 Page: 7/10 Date: 2020-11-20 Revision 3.0



SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity

Active Ingredient	Duration	Species	Value	Notes
	LC50, 96 hr	Pimephales promelas (fathead	16.4 mg/L	
		minnows)		
	NOEC, 96 hr	Pimephales promelas	4.3 mg/L	
Hydrogen	EC50, 48 hr	Crustaceans: Daphnia pulex	2.4 mg/L	Fresh water, semi static test
Peroxide		(water flea)		
CAS: 7722-84-1	NOEC, 48 hr	Crustaceans: Daphnia pulex	1 mg/L	Fresh water, semi static test
	EC50, 72 hr	Algae: Skeletonema costatum	2.6 mg/L	Growth rate
	NOEC, 72 hr	Algae: Skeletonema costatum	0.63 mg/L	
	NOEC, 72 hr	Algae: Chlorella vulgaris	0.1 mg/L	

12.2 Persistence and degradability

Abiotic Degradation : Air, indirect photo oxidation, t1/2: 24 hr (Conditions: sensitizer: OH

radicals)

Water, redox reaction, t1/2: 120 hr (Conditions: mineral and enzymatic

catalysis, fresh water, salt water)

Soil, redox reaction, t1/2: 12 hr (Conditions: mineral and enzymatic

catalysis)

Biodegradation : Aerobic, t1/2 < 2 min (Conditions: biological treatment sludge): Readily

biodegradable

Aerobic, t1/2 from 0.3 – 5 d (Conditions: fresh water): Readily

biodegradable

Anaerobic (Conditions: soil/sediments): Not applicable

12.3 Bioaccumulative potential : Bioaccumulative potential: Log Pow -1.57

Result – does not bioaccumulate

12.4 Mobility in soil

Water : Considerable solubility and mobility

Soil/sediments : Log KOC: 0.2, non significant evaporation and adsorption

Air : Volatility, Henry's law constant (H), = 0.75 kPa.m³/mol

Conditions 20°C Not significant

12.5 Results of PBT and VPVB

assessment

This substance is not considered to be persistent, bioaccumulating nor

oxic (PBT)

This substance is not considered to be very persistent nor very

bioaccumulating (vPvB)

12.6 Other adverse effects : No data available

SECTION 13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods : Handle in accordance with good industrial hygiene and safety practice.

Refer to protective measures listed in sections 7 and 8. Empty

containers retain residue (liquid

and/or vapour) and can be dangerous. Do not burn, or use a cutting

torch on, the empty drum.

13.2 Additional Information : None

TD075-SP-015 Page: 8/10 Date: 2020-11-20 Revision 3.0



SECTION 14. TRANSPORT INFORMATION

14.1 Land transport (ADR/RID)

UN number : UN 2014

Proper Shipping Name : HYDROGEN PEROXIDE, AQUEOUS SOLUTION

Transport hazard class(es) : 5.1

ADR/RID-Labels : 5.1 – Oxidizing substances

8 - Corrosive

Packing Group : I

Hazard label(s) :



Environmental hazards : None Special precautions for user : None Emergency action code : 2W

14.2 Sea transport (IMDG)

UN number : UN 2014

Proper Shipping Name : HYDROGEN PEROXIDE, AQUEOUS SOLUTION

Transport hazard class(es) : 5.1

IMDG Labels : 5.1 – Oxidizing substances

8 - Corrosive

Packing Group : II
Marine Pollutant : No
Special precautions for user : None
Emergency action code : 2W

14.3 Air transport (ICAO/IATA)

UN number : UN 2014

Proper Shipping Name : HYDROGEN PEROXIDE, AQUEOUS SOLUTION

Transport hazard class(es) : 5.1

ICAO labels : 5.1 – Oxidizing substance

8 – corrosive

Packing Group

Environmental hazards : None Special precautions for user : None Emergency action code : 2W

14.4 Transport in bulk according to

Annex II of MARPOL73/78 and the

IBC Code

Not applicable

SECTION 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture substance or mixture

15.1.1 Australian Legislation

Therapeutic Goods Act 1989 : AUST L (ARTG) Number - 342010

Agricultural and Veterinary Chemicals

Act 1994

APVMA Approval Number - 68380/58257

Work Health and Safety Regulations

2011

: Complies

TD075-SP-015 Page: 9/10 Date: 2020-11-20 Revision 3.0



Australian Inventory of Chemical

Substances (AICS)

Complies

Standard for the Uniform Scheduling of

Medicines and Poisons (SUSMP)

Not scheduled

National Code of Practice for chemicals of security concern Chemical of security concern (hydrogen peroxide - precursor to

homemade explosives)

15.1.2 Other National regulations Refer to national regulation for details of any actions or restrictions by

relevant regulations or directives

SECTION 16. OTHER INFORMATION

The following sections contain revisions or new statements

1, 2, 3, 8, 9, 13, 15 as of November 2020

ABBREVIATIONS & ACRONYMS

STOT Specific Target Organ Toxicity WEL Workplace Exposure Limit Threshold Limit Value TLV TWA Time-Weighted Average STEL Short-Term Exposure Limit Long-Term Exposure Limit LTEL **PNEC** Predicted No Effect Concentration DNEL Derived No Effect Level

DMEL Derived Minimal Effect Level

LOAEL Lowest-observed-adverse-effect Level NOAEL No-observed-adverse-effect Level NOEC No Observed Effect Concentration

References Sources of information used in preparing this SDS included one or

> more of the following: results from in-house or supplier toxicology studies; publications from trade associations; ECHA publications; EU

guidelines and other sources as appropriate

Training Advice All users should be trained

Additional Information None

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Bioquell gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Bioquell accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

TD075-SP-015 Date: 2020-11-20 Page: 10/10 Revision 3.0